



getFullVisitors	
(PK) SID	DECIMAL(20,0)
(FK) EID	DECIMAL(20,0)
VISIT_TIME	TIMESTAMP
NEW_VISITOR	DECIMAL(1,0)
OS	VARCHAR(100)
BROWSER	VARCHAR(100)
JAVASCRIPT	DECIMAL(1,0)
RESOLUTION	VARCHAR(255)
COLORDEPTH	VARCHAR(255)
COOKIE	VARCHAR(1,0)
JAVA	DECIMAL(1,0)
BROWSER_LANG	VARCHAR(50)
CITY	VARCHAR(255)
REGION	VARCHAR(255)
COUNTRY	VARCHAR(255)
ISP	VARCHAR(255)
ORGANISATION	VARCHAR(255)
NETSPEED	DECIMAL(1,0)
TIMEZONE	DECIMAL(18,0)
BROWSER_NAME	VARCHAR(255)
BROWSER_VENDOR	VARCHAR(255)
BROWSER_VERSION	VARCHAR(255)
BROWSER_MAJOR_VERSION	DECIMAL(18,0)
BROWSER_MINOR_VERSION	DECIMAL(18,0)
OS_NAME	VARCHAR(255)
OS_VENDOR	VARCHAR(255)
OS_VERSION	VARCHAR(255)
OS_MAJOR_VERSION	DECIMAL(18,0)
OS_MINOR_VERSION	DECIMAL(18,0)
DEVICE	VARCHAR(100)
DEVICE_NAME	VARCHAR(100)
DEVICE_VENDOR	VARCHAR(100)
DEVICE_FAMILY	VARCHAR(100)
DEVICE_MODEL	VARCHAR(100)
DEVICE_CLASS	VARCHAR(100)

getFullCustomer	
(PK) SID	DECIMAL(20,0)
(FK) EID	DECIMAL(20,0)
CUSTOMER_ID	DECIMAL(20,0)
TIMES	TIMESTAMP

getFullCustParaSession	
(PK) SID	DECIMAL(20,0)
TIMES	TIMESTAMP
ITEM_ID	DECIMAL(20,0)
CUST_PARA_STRING_ID	VARCHAR(255)
CUST_PARA_NUMBER_ID	DECIMAL(12,2)
CUST_PARA_GENERIC_ID	VARCHAR(510)

getFullCustParaTimes	
(PK) REQUEST_ID	DECIMAL(20,0)
TIMES	TIMESTAMP
ITEM_ID	DECIMAL(20,0)
CUST_PARA_STRING_ID	VARCHAR(510)
CUST_PARA_NUMBER_ID	DECIMAL(12,2)
CUST_PARA_GENERIC_ID	VARCHAR(510)

getFullClicks	
(PK) CLICK_REQUEST_ID	DECIMAL(20,0)
(FK) SID	DECIMAL(20,0)
(FK) REQUEST_ID	DECIMAL(20,0)
CLICK	VARCHAR(255)
TIMES	TIMESTAMP

getFullCampaigns	
(PK) REQUEST_ID	DECIMAL(20,0)
(FK) SID	DECIMAL(20,0)
TIMES	TIMESTAMP
CAMPAIGN	VARCHAR(255)
KEYWORD	VARCHAR(255)

getFullCustParaClick	
(PK) REQUEST_ID	DECIMAL(20,0)
(FK) SID	DECIMAL(20,0)
TIMES	TIMESTAMP
ITEM_ID	DECIMAL(20,0)
CUST_PARA_STRING_ID	VARCHAR(255)
CUST_PARA_NUMBER_ID	DECIMAL(12,2)
CUST_PARA_GENERIC_ID	VARCHAR(510)

getFullOrders	
(PK) REQUEST_ID	DECIMAL(20,0)
(FK) SID	DECIMAL(20,0)
TIMES	TIMESTAMP
TOTAL_PRICE	DECIMAL(12,2)
ORDER_ID	VARCHAR(255)

getFullCustParaCampaign	
(PK) REQUEST_ID	DECIMAL(20,0)
(FK) SID	DECIMAL(20,0)
TIMES	TIMESTAMP
ITEM_ID	DECIMAL(20,0)
CUST_PARA_STRING_ID	VARCHAR(255)
CUST_PARA_NUMBER_ID	DECIMAL(12,2)
CUST_PARA_GENERIC_ID	VARCHAR(510)

getFullReferrer	
(PK) REQUEST_ID	DECIMAL(20,0)
(FK) SID	DECIMAL(20,0)
TIMES	TIMESTAMP
REFERRER	VARCHAR(255)
URL	VARCHAR(255)
SEARCH_ENGINE	DECIMAL(1,0)

getFullCustomerJourney	
(PK) REQUEST_ID	DECIMAL(20,0)
(FK) SID	DECIMAL(20,0)
(PK) CJ_ORDER	DECIMAL(20,0)
CAMPAIGN	VARCHAR(255)
KEYWORD	VARCHAR(255)
SEARCH_PHRASE	VARCHAR(255)
CUST_PARA_STRING_ID	VARCHAR(255)
CJ_TIME	TIMESTAMP
TIMES	TIMESTAMP
CONVERSION_VALUE	DECIMAL(12,2)

getFullSearchPhrase/getFullSearchPhraselntern	
(PK) REQUEST_ID	DECIMAL(20,0)
(FK) SID	DECIMAL(20,0)
TIMES	TIMESTAMP
SEARCH_PHRASE	VARCHAR(100)

getFullCustParaPage	
(PK) REQUEST_ID	DECIMAL(20,0)
(FK) SID	DECIMAL(20,0)
TIMES	TIMESTAMP
ITEM_ID	DECIMAL(20,0)
CUST_PARA_STRING_ID	VARCHAR(255)
CUST_PARA_NUMBER_ID	DECIMAL(12,2)
CUST_PARA_GENERIC_ID	VARCHAR(510)

getFullBasket	
(PK) REQUEST_ID	DECIMAL(20,0)
(PK) BAS_POS	DECIMAL(18,0)
(FK) SID	DECIMAL(20,0)
PRODUCT	VARCHAR(255)
QUANTITY	DECIMAL(18,0)
PRICE	DECIMAL(12,2)
STATE	DECIMAL(1,0)
TIMES	TIMESTAMP
LIST_POS	DECIMAL(18,0)

getFullCustParaProduct	
(PK) REQUEST_ID	DECIMAL(20,0)
(PK) BAS_POS	DECIMAL(18,0)
(FK) SID	DECIMAL(20,0)
TIMES	TIMESTAMP
CUST_PARA_STRING_ID	VARCHAR(255)
CUST_PARA_NUMBER_ID	DECIMAL(12,2)

getFullForms	
(PK) FORM_REQUEST_ID	DECIMAL(20,0)
(FK) SID	DECIMAL(20,0)
(FK) REQUEST_ID	DECIMAL(20,0)
TIMES	TIMESTAMP
FORM	VARCHAR(255)
SUBMITTED	DECIMAL(1,0)

getFullFormFields	
(PK) FORM_REQUEST_ID	DECIMAL(20,0)
(FK) SID	DECIMAL(20,0)
(FK) REQUEST_ID	DECIMAL(20,0)
TIMES	TIMESTAMP
FORM_FIELD	DECIMAL(20,0)
FORM	VARCHAR(255)
FIELD_VALUE	VARCHAR(255)
CANCELLED	DECIMAL(1,0)

getFullMedia	
(PK) MEDIA_REQUEST	DECIMAL(20,0)
(FK) SID	DECIMAL(20,0)
(FK) REQUEST_ID	DECIMAL(20,0)
TIMES	TIMESTAMP
DURATION	DECIMAL(18,0)
MAX_DURATION	DECIMAL(18,0)
BANDWIDTH	DECIMAL(18,0)
VOLUME	DECIMAL(3,0)
MUTE	DECIMAL(1,0)
MEDIA	VARCHAR(255)
MEDIA_TIME	DECIMAL(18,0)

getFullMediaAction	
(PK) MEDIA_ACTION_REQUEST_ID	DECIMAL(20,0)
(FK) SID	DECIMAL(20,0)
(FK) REQUEST_ID	DECIMAL(20,0)
TIMES	TIMESTAMP
MEDIA_ACTION	VARCHAR(255)
A_START	DECIMAL(5,0)
A_STOP	DECIMAL(5,0)
MEDIA	VARCHAR(255)
MEDIA_TIME	DECIMAL(18,0)

The primary key of getFullFormFields is composed of the FORM_REQUEST_ID and another value in the underlying raw data table, the latter not being exported here. This results in the shown 1 : n relationship.

The primary key of getFullMediaAction is composed of the MEDIA_ACTION_REQUEST_ID and another value in the underlying raw data table, the latter not being exported here. This results in the shown 1 : n relationship.