

# split sendout embedded

## Description

Creates embedded messages and makes a split sendout to a group cloned from id 3.

## Example request

```

<control
  xmlns="http://webservices.ecircle-ag.com/ecm"
  request-id="1" group-id="new" clone-from-id="3">
  <member-list add-mode="add_no_message" sync-
mode="add_update_mode">
    <user>
      <email>test1@test.com</email>
    </user>
    <user>
      <email>test2@test.com</email>
    </user>
    <user>
      <email>test3@test.com</email>
    </user>
    <user>
      <email>test4@test.com</email>
    </user>
  </member-list>

  <message message-id="new" type="draft">
    <content target-content-encoding="ISO-8859-
1">
      <subject>Campaign subject 11111<
/subject>
      <text target-content-encoding="ISO-
8859-1">
        text 11111
      </text>
      <html target-content-encoding="ISO-
8859-1">
        htm 111111
      </html>
    </content>
  </message>
  <message message-id="new" type="draft">
    <content target-content-encoding="ISO-8859-
1">
      <subject>Campaign subject 2222<
/subject>
      <text target-content-encoding="ISO-
8859-1">
        text 2222
      </text>
      <html target-content-encoding="ISO-
8859-1">
        htm 2222
      </html>
    </content>
  </message>

  <split-message criterion="opening-rate"
  xmlns="http://webservices.ecircle-ag.com
/ecm">
    <test-message message-id="new">
      <percentage>80</percentage>
    </test-message>
    <test-message message-id="new">
      <percentage>20</percentage>
    </test-message>
    <split-schedule-date>
      <date>2019-05-23T14:54:00Z</date>
    </split-schedule-date>
    <schedule-date>
      <date>2019-05-23T15:55:00Z</date>
    </schedule-date>
  </split-message>
</control>

```

