

membership subscribeByEmail

Description

Subscribes a recipient to a group.
The recipient must exist in the system.

Available from
v2

Request path

POST [REST URL]/membership/subscribeByEmail

Query Parameters

Parameter	Type	Description
email	String	Email of the user. Attention! According to URL encoding some characters like "+", "[", "]" are need to be encode otherwise the request will fails. For example: <i>name+surname@test.com</i> should be encoded as <i>name%2Bsurname@test.com</i> <i>name[surname@test.com</i> should be encoded as <i>name%5Bsurname@test.com</i> <i>name]surname@test.com</i> should be encoded as <i>name%5Dsurname@test.com</i>
groupId	Long	ID of the group
subscription Mode	SubscriptionMode	

SubscriptionMode	Description
CONFIRMED_OPT_IN	New contacts receive a welcome message via email when they are added to the group. Despite the label used for this value, the contact does not need to confirm the subscription. A single opt-in subscription.
DOUBLE_OPT_IN	New contacts receive an invitation to join the group via email. The contact must accept the invitation before they are added to the group. A double opt-in subscription.
OPT_IN	New contacts are added to the group without notification.

Example response

HTTP 204

Example response - group is archived

```
{
  "errorActor": "CLIENT",
  "errorCode":
    "NO_SUCH_OBJECT",
  "message": "Group with
id=1109 is archived.",
  "objectType": "Group",
  "propertyName": "id",
  "propertyValue": "1109"
}
```